

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/812,700	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 20:07
S2	5	((RAM near2 (ASOKAN)). INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/11/05 20:23
S3	2	("5745695").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 20:24
S4	7208	(370/352).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/05 20:25
S6	2	S2 and (packet\$switch\$3)	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/11/05 20:52
S7	2	((packet\$switch\$3) with pag \$3 with participat\$3 with incoming).clm.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/11/05 20:57
S8	2	wo-9726764-A\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 21:21
S9	1	("6005847").PN.	US-PGPUB; USPAT	OR	OFF	2008/11/05 21:30
S10	6	S4 and ((interrupt\$3 or suspend\$3) with (data near2 session) with (incoming near2 call))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 21:34
S11	5	S10 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/05 21:35
S12	7214	(370/352).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/06 09:06
S13	9	S12 and ((interrupt\$3 or suspend\$3 or paus\$3 or stop \$4) with (packet) with (incoming near2 call))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 09:06

S14	5	S13 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 09:06
S16	1	10/812,700	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 09:12
S17	75	S12 and ((notif\$4 or inform \$3) with (server or pdsn) with incoming)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 10:21
S18	40	S12 and (((notif\$4 or inform \$3) near3 (server or pdsn)) with incoming)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 10:21
S19	30	S18 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 10:21
S20	120	S12 and (push\$talk or p2t)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 10:29
S21	4	S12 and ((push\$talk or p2t) same packet same incoming)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 10:30
S22	1	S21 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 10:30
S24	6	((UE or ((mobile or wireless or cell or cellular or portable or hand\$held) adj (phone or telephone or device or unit or terminal or station))) with ((packet or data) near2 session) with ((notif\$4 or inform\$3) with (server or pdsn or network) with incoming)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 10:55

S25	4	S24 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 10:56
S26	1	08/587073.app.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 10:59
S28	2	ep-91115-A\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 11:01
S29	1	ep-96813-A\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 11:08
S30	2	ep-1096813-A\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 11:08
S31	170	"4" and ((notif\$3 or alert\$3 or inform\$3) with incoming with PSTN)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 13:29
S32	2	("5745695").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 13:29
S35	7214	(370/352).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/06 13:30
S36	20	S35 and ((notif\$3 or alert\$3 or inform\$3) with incoming with circuit)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 13:30
S37	14	S36 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 13:30
S38	7214	(370/352).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/06 14:08

S39	105	(push\$talk or p2t) near3 packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 14:08
S40	37	S39 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 14:09
S41	13	(push\$talk or p2t or ptt) near3 (data near2 packet near2 session)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 14:17
S42	4	S41 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/06 14:18
S43	3	circuit\$switch with SMS	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 17:23
S45	250	(ptt or push\$to\$talk or p2t) with (interrup\$4 or suspend \$3 or standby)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 17:56
S46	10	(notif\$4 or alert\$3) with (ptt or push\$to\$talk or p2t) with (interrup\$4 or suspend\$3 or standby)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 17:56
S47	4	S46 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 17:57
S48	250	(ptt or push\$to\$talk or p2t) with (interrup\$4 or suspend \$3 or standby)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 17:59
S49	160	S48 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 17:59

S50	13	(ptt or push\$to\$talk or p2t) with (interrup\$4 or suspend\$3 or standby) with incoming	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 18:15
S51	4	S50 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 18:15
S52	19	(ptt or push\$to\$talk or p2t) with (interrup\$4 or suspend\$3 or standby or paus\$3 or stop\$4) with incoming	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 18:18
S53	8	S52 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/15 18:18
S54	19	(ptt or push\$to\$talk or p2t) with (interrup\$4 or suspend\$3 or standby or paus\$3 or stop\$4) with incoming	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:21
S55	68	(ptt or push\$to\$talk or p2t or press\$to\$talk) same (interrup\$4 or suspend\$3 or standby or paus\$3 or stop\$4) same incoming	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:23
S56	32	S55 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:23
S57	82	(ptt or push\$to\$talk or p2t or press\$to\$talk) same (hold\$3 or interrup\$4 or suspend\$3 or standby or paus\$3 or stop\$4) same incoming	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:25
S58	43	S57 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:25
S59	85	(ptt or push\$to\$talk or p2t or press\$to\$talk) same (hold\$3 or interrup\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or inhibit\$3) same incoming	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:53

S60	46	S59 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:54
S61	1836	(ptt or push\$to\$talk or p2t or press\$to\$talk) same (hold \$3 or interrup\$4 or suspend \$3 or standby or paus\$3 or stop\$4 or inhibit\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:55
S62	7676	(370/352).CQLS.	US-PGPUB; USPAT	OR	OFF	2009/04/16 08:55
S63	9329	(370/352-356).CQLS.	US-PGPUB; USPAT	OR	OFF	2009/04/16 08:57
S64	7676	S62 and S63	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:57
S65	1263	S61 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:57
S66	49	(notif\$4 or alert\$3) with (ptt or push\$to\$talk or p2t or press\$to\$talk) same (hold\$3 or interrup\$4 or suspend\$3 or standby or paus\$3 or stop \$4 or inhibit\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 08:59
S67	127	(notif\$4 or alert\$3) same (ptt or push\$to\$talk or p2t or press\$to\$talk) same (hold \$3 or interrup\$4 or suspend \$3 or standby or paus\$3 or stop\$4 or inhibit\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 09:00
S68	83	S67 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/16 09:00
S70	731	(455/412.2).CQLS.	US-PGPUB; USPAT	OR	OFF	2009/04/17 00:01
S71	19	S70 and (ptt or push\$to\$talk or p2t)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 00:02
S72	6	S71 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 00:02

S73	477	(ptt or push\$to\$talk or p2t) with (interrup\$4 or suspend\$3 or standby or paus\$3 or stop\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 00:29
S74	4	S70 and packet session	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 00:40
S75	1	S74 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 00:40
S76	282	S70 and (interrup\$4 or suspend\$3 or standby or paus\$3 or stop\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 00:41
S77	252	S70 and (interrup\$4 or suspend\$3 or paus\$3 or stop\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 00:41
S78	151	S70 and (interrup\$4 or suspend\$3 or paus\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 00:41
S79	98	S78 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 00:42
S80	17	(ptt or push\$to\$talk or p2t) with (interrup\$4 or suspend\$3 or standby or paus\$3 or stop\$4) with (notif\$3 or alert\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 01:01
S81	9	S80 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 01:01
S82	20	(packet\$switch or packet) with (ptt or push\$to\$talk or p2t) with (interrup\$4 or suspend\$3 or standby or paus\$3 or stop\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 01:04

S83	9	S82 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 01:04
S84	112	(interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or suppress\$3) same (packet or internet protocol or IP) same (ptt or push\$to\$talk or p2t)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 13:32
S85	58	S84 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 13:32
S86	399	(interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or suppress\$3) same (packet or internet protocol or IP) same (ptt or push\$to\$talk or p2t or dispatch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 13:42
S87	99	(interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or suppress\$3) with (packet or internet protocol or IP) with (ptt or push\$to\$talk or p2t or dispatch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 13:43
S88	70	S87 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 13:43
S89	27	("0037735" "5650995" "5717830" "5901363" "6023626" "6141347" "6240069" "6757365" "6930994" "6970926" "0061760" "7020130" "7203490").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 17:41
S90	99	(interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or suppress\$3 or inhibit\$3) with (packet or internet protocol or IP) with (ptt or push\$to\$talk or p2t or dispatch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 18:36
S91	70	S90 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 18:36

S92	90	(interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or suppress\$3 or inhibit\$3) with (packet or packet \$switch) with (ptt or push\$to \$talk or p2t or dispatch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 18:37
S94	17	(interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or suppress\$3 or inhibit\$3) with (packet or packet \$switch) with (ptt or push\$to \$talk or p2t or dispatch) with (incoming)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 18:38
S95	15	S94 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/17 18:38
S96	25	(ptt or push\$to\$talk or p2t) with (interrupt\$4 or suspend \$3 or standby or paus\$3 or stop\$4 or hold\$) with incoming	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 12:04
S97	28	(ptt or push\$to\$talk or p2t) with (interrupt\$4 or suspend \$3 or standby or paus\$3 or stop\$4 or hold\$ or inhibit\$3) with incoming	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 12:04
S98	17	S97 and (@rlad<"20040330" or @ad<"20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 12:05
S99	2726	(455/517-519).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/04/20 12:41
S100	11093	(709/227-229).OCLS.	US-PGPUB; USPAT	OR	OFF	2009/04/20 12:43
S101	16	S99 and S100	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 12:43
S102	11	S101 and (interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or hold\$)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 12:44
S103	5811	S100 and (interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or hold\$)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:17

S104	541	S100 and ((interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or hold\$) with packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:17
S105	2	S100 and ((interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or hold\$) with packet notif\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:18
S106	34	S100 and ((interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4 or hold\$) with packet with notif\$7)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:19
S107	29	S106 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:19
S108	89	(notif\$7 or inform\$3 or alert\$3) same (ptt or push\$to\$talk or p2t) same (interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:26
S109	62	S108 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:27
S110	1053	(notif\$7 or inform\$3 or alert\$3) same (session) same (interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:41
S111	101	(notif\$7 or inform\$3 or alert\$3) same ((group or ptt or push\$to\$talk or p2t or dispatch) near2 (session or call)) same (interrupt\$4 or suspend\$3 or standby or paus\$3 or stop\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:43
S112	63	S111 and (@rlad< "20040330" or @ad< "20040330")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/20 13:43

4/ 21/ 2009 8:05:21 AM

C:\Documents and Settings\mbatista\My Documents\EAST\Workspaces\10812700 METHODS, SYSTEMS AND COMPUTER PROGRAM PRODUCTS FOR SUSPENDING PACKET-SWITCHED SESSIONS TO A WIRELESS TERMINAL.wsp